



MÜLLER
SAFE



HIGH SECURITY SAFES

HIGH SECURITY SAFE **EW III**



Model EW III-105



SECURITY LEVEL

Class III according to EN 1143-1
certified by ECB-S and VdS



DESIGN

Body: Multi-walled with special reinforcement
Door: Multi-walled
Hinges: External
Door opening angle: 145°
Handle/fitting: Protruding 65 mm
Mounting holes: 2 fixing holes in the floor
Prepared for alarm system



LOCKING

High security double-bit key lock
3 keys (190 mm)



PAINTING

Light gray, RAL 7035
(special painting according to RAL colors for an extra charge)




INSURABLE

Individual agreement



HIGH SECURITY SAFE EW III



Model	External dim. in mm			Internal dim. in mm			Door light		Number Shelves	Door 1 / 2-leaf	Number Files	Volume (Liter)	Weight (Kg)
	Height	Width	Depth	Height	Width*	Depth	Height	Width					
EW III-62	620	570	520	540	490	360	540	490	1	1-leaf	6	95	305
EW III-84	840	570	520	760	490	360	760	490	1	1-leaf	12	134	380
EW III-105	1050	570	520	970	490	360	970	490	2	1-leaf	12	171	465
EW III-120	1200	570	520	1120	490	360	1120	490	2	1-leaf	18	198	515
EW III-156	1560	810	540	1480	730	380	1480	730	3	1-leaf	36	411	820
EW III-187	1870	810	540	1790	730	380	1790	730	4	1-leaf	36	497	940

Fittings protrude 65 mm * Inside width: -15 mm can be used because of the shelf strip



LOCKING OPTIONS

	Standardlocking	Optional locking systems			
Model	Double-bit key lock	Mechanical combination lock	Electronic combination lock*	Double lock** (2 Double-bit key locks)	Doppelverschluss** (Double-bit key lock, Mechanical combination lock)
EW III-62	■	■	■	■	■
EW III-84	■	■	■	■	■
EW III-105	■	■	■	■	■
EW III-120	■	■	■	■	■
EW III-156	■	■	■	■	■
EW III-187	■	■	■	■	■

* with emergency key ** other lock combinations possible



ACCESSORIES FOR EXTRA CHARGE

Model	Inner safe Height = 200 mm	Inner safe Height = 300 mm	Left door hinge	Additional shelf	Alarm accessories for alarm system	Additional fixing hole for designated position Ø 13 mm	Special fixing kit for concrete floor
EW III-62							
EW III-62	☐	☐	■	■	■	■	■
EW III-84	☐	☐	■	■	■	■	■
EW III-105	■	☐	■	■	■	■	■
EW III-120	■	☐	■	■	■	■	■
EW III-156	☐	■	■	■	■	■	■
EW III-187	☐	■	■	■	■	■	■

As of 01/2022 - decorative material not included in the scope of delivery- Technical changes reserved.



HIGH SECURITY SAFES

Müller Safe GmbH

In der Hirtenwiese 6

35745 Herborn, Germany

www.mueller-safe.de

