




MÜLLER
SAFE



KEY SAFES

EMERGENCY KEY BOX NSKN



Model NSKN 2



DESIGN

Body: Single-walled
Door: Single-walled
Hinges: Internal
Door opening angle: 180°
Mounting holes: 2 fixing holes in the backwall
Emergency key box with interchangeable glass plates



LOCKING

Cylinder lock
2 keys (65 mm)



PAINTING

Signal red, RAL 3001



EMERGENCY KEY BOX **NSKN**



NSKN 1



NSKN 2



NSKN 3





NSKN 4

| Model | External dim. in mm | | | Internal dim. in mm | | | Number Hooks | Remark | Weight (Kg) |
|--------|---------------------|-------|-------|---------------------|-------|-------|--------------|--------|-------------|
| | Height | Width | Depth | Height | Width | Depth | | | |
| NSKN 1 | 150 | 120 | 32 | 148 | 118 | 31 | 1 | | 0,5 |
| NSKN 2 | 150 | 120 | 32 | 148 | 118 | 31 | 1 | hammer | 0,5 |
| NSKN 3 | 200 | 200 | 50 | 198 | 198 | 49 | 5 | | 1,0 |
| NSKN 4 | 200 | 200 | 50 | 198 | 198 | 49 | 5 | hammer | 1,0 |



LOCKING OPTIONS

| | Standardlocking | Optional locking systems |
|--------|--|--|
| Model |  Cylinder lock |  Prepared for profiled half cylinde |
| NSKN 1 | ■ | ■ |
| NSKN 2 | ■ | ■ |
| NSKN 3 | ■ | ■ |
| NSKN 4 | ■ | ■ |

As of 12/2020 - decorative material not included in the scope of delivery- Technical changes reserved.



KEY SAFES

Müller Safe GmbH

In der Hirtenwiese 6

35745 Herborn, Germany

www.mueller-safe.de

