



MÜLLER
SAFE



HIGH SECURITY SAFES

HIGH SECURITY SAFE EN III



Model EN III-100



SECURITY LEVEL

Class III according to EN 1143-1
certified by ECB-S



DESIGN

Body: Multi-walled with special reinforcement
Door: Multi-walled
Hinges: External
Door opening angle: 180°
Handle/fitting: Protruding 65 mm
Mouting holes: 2 fixing holes in the floor



LOCKING

High security double-bit key lock
2 keys (190 mm)



PAINTING

Light gray, RAL 7035
(special painting according to RAL colors for an extra charge)




INSURABLE

Individual agreement



HIGH SECURITY SAFE EN III



Model	External dim. in mm			Internal dim. in mm			Door light		Number Shelves	Door 1 / 2-leaf	Number Files	Volume (Liter)	Weight (Kg)
	Height	Width	Depth	Height	Width	Depth	Height	Width					
EN III-80	800	600	590	630	430	340	630	430	2	1-leaf	5	92	505
EN III-100	1000	600	590	830	430	340	830	430	2	1-leaf	10	121	615
EN III-120	1200	600	590	1030	430	340	1030	430	3	1-leaf	15	150	715
EN III-140	1400	600	590	1230	430	340	1230	430	3	1-leaf	15	179	780
EN III-160	1600	750	630	1430	580	380	1430	580	3	1-leaf	28	315	1120
EN III-185	1850	850	680	1680	680	430	1680	680	4	1-leaf	32	491	1490
EN III-185/2	1850	1250	680	1680	1080	430	1680	1080	4	2-leaves	52	780	1960

Fittings protrude 65 mm



LOCKING OPTIONS

Model	Standardlocking		Optional locking systems	
	Double-bit key lock	Mechanical combination lock	Electronic combination lock*	Double lock** (2 Double-bit key locks)
EN III-80	■	■	■	■
EN III-100	■	■	■	■
EN III-120	■	■	■	■
EN III-140	■	■	■	■
EN III-160	■	■	■	■
EN III-185	■	■	■	■
EN III-185/2	■	■	■	■

* with emergency key ** other lock combinations possible



ACCESSORIES FOR EXTRA CHARGE

Model	Inner safe Height = 200 mm	Inner safe Height = 300 mm	Inner safe Height = 350 mm (2-leaf)	Left door hinge	Additional shelf	Additional fixing hole for designated position Ø 13 mm	Special fixing kit for concrete floor
EN III-80	□	□	□	■	■	■	■
EN III-100	■	□	□	■	■	■	■
EN III-120	■	□	□	■	■	■	■
EN III-140	■	□	□	■	■	■	■
EN III-160	■	□	□	■	■	■	■
EN III-185	□	■	□	■	■	■	■
EN III-185/2	□	□	■	□	■	■	■

As of 01/2022 - decorative material not included in the scope of delivery- Technical changes reserved.



HIGH SECURITY SAFES

Müller Safe GmbH

In der Hirtenwiese 6

35745 Herborn, Germany

www.mueller-safe.de

