



MÜLLER
SAFE



FIREPROOF SAFES FOR DATA CARRIES

FIREPROOF SAFE DIK



Model DIK 145



SECURITY LEVEL

Class I according to EN 1143-1
certified by IMP



FIRE RATING

S 120 DIS according to EN 1047-1



DESIGN

Body: Multi-walled
Door: Multi-walled
Hinges: External
Door opening angle: 180°
Handle/fitting: Protruding 65 mm
Mounting holes: 2 fixing holes in the floor



LOCKING

High security double-bit key lock
2 keys (145 mm)



PAINTING

Light gray, RAL 7035
(special painting according to RAL colors for an extra charge)



INSURABLE

Individual agreement



FIREPROOF SAFE DIK



DIK 1147

DIK 1148

DIK 130




DIK 145

Model	External dim. in mm			Internal dim. in mm			Door light		Number Shelves	Door 1 / 2-leaf	Volume (Liter)	Weight (Kg)
	Height	Width	Depth	Height	Width	Depth	Height	Width				
DIK 1147	1143	714	662	887	478	388	887	478	2	1-leaf	169	433
DIK 1148	1143	800	730	887	564	456	887	564	2	1-leaf	234	501
DIK 130	1300	800	730	1044	564	456	1044	564	3	1-leaf	275	560
DIK 145	1456	886	798	1200	650	524	1200	650	4	1-leaf	418	707

Fittings protrude 65 mm









LOCKING OPTIONS

Model	Standardlocking	Optional locking systems	
	 Double-bit key lock	 Electronic combination lock	 Electronic combination lock*
DIK 1147	■	■	■
DIK 1148	■	■	■
DIK 130	■	■	■
DIK 145	■	■	■

* with emergency key



ACCESSORIES FOR EXTRA CHARGE

Model	Inner safe Height = 240 mm	Left door hinge	Additional shelf	Suspension file on telescopic rails	Shelf for hanging files	Special fixing kit for concrete floor
						
DIK 1147	■	■	■	■	■	■
DIK 1148	■	■	■	■	■	■
DIK 130	■	■	■	■	■	■
DIK 145	■	■	■	■	■	■

As of 01/2022 - decorative material not included in the scope of delivery- Technical changes reserved.




FIREPROOF SAFES FOR DATA CARRIERS

FIREPROOF SAFE DIK



DRAWERS

Art. Nr.	Modell	Drawer and shelf number	CD-ROM	Diskette 3,5"	Streamer Tape	Streamer Tape DLT	Giga Tape 4	Giga Tape 8	Optical disc 3,5"	Microfilm cassette	Megastar	LTO	Remaining space under drawers
			140x125x5 mm	88x88x3 mm	162x107x25 mm	112x112x32 mm	81x60x16 mm	102x68x20 mm	94x90x6 mm	100x100x25 mm	137x59x16 mm	105x102x22 mm	height
DIK 1147	DIK	2	191	426	25	29	140	91	213	49	133	57	739 mm
DIK 1148	DIK	2	308	641	46	46	190	133	318	76	182	86	739 mm
DIK 130	DIK	3	308	641	46	46	190	133	318	76	182	86	896 mm
DIK 145	DIK	4	357	895	51	67	248	175	445	86	266	100	1052 mm
DIK 1147	DIK	2	382	851	49	57	279	182	426	99	266	114	591 mm
DIK 1148	DIK	2	616	1283	91	91	380	266	637	152	365	171	591 mm
DIK 130	DIK	3	616	1283	91	91	380	266	637	152	365	171	748 mm
DIK 145	DIK	4	714	1790	103	133	496	350	889	171	532	200	904 mm
DIK 1147	DIK	1	573	1277	74	86	419	274	638	148	399	171	443 mm
DIK 1148	DIK	1	923	1924	137	137	570	399	955	228	547	257	443 mm
DIK 130	DIK	2	923	1924	137	137	570	399	955	228	547	257	600 mm
DIK 145	DIK	3	1072	2685	154	200	744	524	1334	257	798	299	756 mm
DIK 1147	DIK	1	764	1702	99	114	559	365	851	198	532	228	295 mm
DIK 1148	DIK	1	1231	2565	182	182	760	532	1273	304	730	342	295 mm
DIK 130	DIK	2	1231	2565	182	182	760	532	1273	304	730	342	452 mm
DIK 145	DIK	3	1429	3580	205	266	992	699	1778	342	1064	399	608 mm
DIK 1147	DIK	1	955	2128	124	143	698	456	1064	247	665	285	147 mm
DIK 1148	DIK	1	1539	3206	228	228	950	665	1591	380	912	428	147 mm
DIK 130	DIK	2	1539	3206	228	228	950	665	1591	380	912	428	304 mm
DIK 145	DIK	3	1786	4475	257	333	1240	874	2223	428	1330	499	460 mm
DIK 1147	DIK	-	1146	2554	148	171	838	547	1277	296	798	342	-
DIK 1148	DIK	-	1847	3848	274	274	1140	798	1910	456	1094	513	-
DIK 130	DIK	1	1847	3848	274	274	1140	798	1910	456	1094	513	156 mm
DIK 145	DIK	2	2143	5369	308	399	1488	1049	2668	513	1596	599	312 mm
DIK 1147	DIK	-	-	-	-	-	-	-	-	-	-	-	-
DIK 1148	DIK	-	-	-	-	-	-	-	-	-	-	-	-
DIK 130	DIK	-	2155	4489	319	319	1330	931	2228	532	1277	599	-
DIK 145	DIK	-	2500	6264	359	466	1736	1224	3112	599	1862	698	164 mm
DIK 1147	DIK	-	-	-	-	-	-	-	-	-	-	-	-
DIK 1148	DIK	-	-	-	-	-	-	-	-	-	-	-	-
DIK 130	DIK	-	-	-	-	-	-	-	-	-	-	-	-
DIK 145	DIK	-	2858	7159	410	532	1984	1398	3557	684	2128	798	-



FIREPROOF SAFES FOR DATA CARRIERS

Müller Safe GmbH

In der Hirtenwiese 6

35745 Herborn, Germany

www.mueller-safe.de

