



MÜLLER  
SAFE



GUN SAFES

## GUN SAFE KGW



Model KGW



### SECURITY LEVEL

Class I according to EN 1143-1  
certified by ECB•S



### DESIGN

**Body:** Double-walled  
**Door:** Multi-walled  
**Hinges:** External  
**Door opening angle:** 180°  
**Handle:** Protruding 12 mm  
**Mounting holes:** 1 fixing hole in the floor, 2 in the backwall



### LOCKING

High security double-bit key lock  
2 keys (95 mm)



### PAINTING

Light gray, RAL 7035  
(special painting according to RAL colors for an extra charge)



# GUN SAFE KGW



KGW

Model	External dim. in mm			Internal dim. in mm			Door light		Number Shelves	Door 1 / 2-leaf	Gun-holder	Volume (Liter)	Weight (Kg)
	Height	Width	Depth	Height	Width	Depth	Height	Width					
KGW	440	330	165	390	282	55	330	255	0	1-leaf	2	0	30

Fittings protrude 30 mm



## LOCKING OPTIONS

	Standardlocking	Optional locking systems
		
Model	Double-bit key lock	Electronic combination lock
KGW	■	■

As of 12/2020 - decorative material not included in the scope of delivery- Technical changes reserved.



GUN SAFES

**Müller Safe GmbH**

In der Hirtenwiese 6

35745 Herborn, Germany

[www.mueller-safe.de](http://www.mueller-safe.de)

