



MÜLLER  
SAFE



HIGH SECURITY SAFES

## HIGH SECURITY SAFE GA



Model GA 95



### SECURITY LEVEL

Class I according to EN 1143-1  
certified by ECB-S



### DESIGN

**Body:** Double-walled  
**Door:** Multi-walled  
**Hinges:** External  
**Door opening angle:** 180°  
**Handle/fitting:** up to a height of 950 mm with a knob, from a height of 1130 mm with a handle, protruding approx. 65 mm  
**Mounting hole:** 1 fixing hole in the floor



### LOCKING

High security double-bit key lock  
2 keys (95 mm)



### PAINTING

Light gray, RAL 7035  
(special painting according to RAL colors for an extra charge)




### INSURABLE

Individual agreement



# HIGH SECURITY SAFE GA








Model	External dim. in mm			Internal dim. in mm			Door light		Number Shelves	Door 1 / 2-leaf	Number Files	Volume (Liter)	Weight (Kg)
	Height	Width	Depth	Height	Width	Depth	Height	Width					
GA 35	350	390	265	300	330	155	238	294	1	1-leaf	-	15	41
GA 43	430	420	445	380	360	335	318	324	1	1-leaf	4	48	61
GA 60	600	420	445	550	360	335	488	324	1	1-leaf	6	66	76
GA 78	780	420	445	730	360	335	668	324	1	1-leaf	8	88	91
GA 95	950	420	445	900	360	335	838	324	2	1-leaf	10	109	107
GA 113	1130	570	485	1080	510	375	1018	474	2	1-leaf	18	207	153
GA 148	1480	570	485	1430	510	375	1368	474	3	1-leaf	24	273	189
GA 183	1830	570	485	1780	510	375	1718	474	4	1-leaf	30	340	225
GA 113/2	1130	1245	485	1080	1185	375	1018	1165	2	2-leafs	45	480	268
GA 130/2	1300	1245	485	1250	1185	375	1188	1165	3	2-leafs	51	555	296
GA 183/2	1830	1245	600	1780	1185	490	1718	1165	4	2-leafs	75	1034	415

Fittings protrude 65 mm



## LOCKING OPTIONS

Model	Standardlocking		Optional locking systems		
	 +	 +			
	Double-bit key lock	Double-bit key lock	Mechanical combination lock	Electronic combination lock*	Electronic combination lock**
GA 35	■	□	■	■	□
GA 43	■	□	■	■	■
GA 60	■	□	■	■	■
GA 78	■	□	■	■	■
GA 95	■	□	■	■	■
GA 113	□	■	■	■	■
GA 148	□	■	■	■	■
GA 183	□	■	■	■	■
GA 113/2	□	■	■	■	■
GA 130/2	□	■	■	■	■
GA 183/2	□	■	■	■	■

\* with emergency key



## ACCESSORIES FOR EXTRA CHARGE

Model	Inner safe Height = 200 mm	Inner safe Height = 350 mm (2-leafs)	Left door hinge	Additional shelf	Additional fixing hole for designated position Ø 13 mm	Special fixing kit for concrete floor
GA 35	□	□	■	■	■	■
GA 43	□	□	■	■	■	■
GA 60	■	□	■	■	■	■
GA 78	■	□	■	■	■	■
GA 95	■	□	■	■	■	■
GA 113	■	□	■	■	■	■
GA 148	■	□	■	■	■	■
GA 183	■	□	■	■	■	■
GA 113/2	□	■	□	■	■	■
GA 130/2	□	■	□	■	■	■
GA 183/2	□	■	□	■	■	■

As of 01/2022 - decorative material not included in the scope of delivery- Technical changes reserved.



**Müller Safe GmbH**

In der Hirtenwiese 6

35745 Herborn, Germany

[www.mueller-safe.de](http://www.mueller-safe.de)

