



**MÜLLER
SAFE**



DEPOSIT/BANK EQUIPMENT

SELF-SERVICE **ATM PAVILION** „MIDI“



BURGLARY RESISTANCE Resistance Grade III according to EN 1143-1



DIMENSIONS

External dimensions: 3.000 × 2.500 × 3.500 mm (H×W×D)
Wall thickness: 70 mm
Weight: approx. 17.000 kg



CONSTRUCTION

Vault door: Grade III, lockable from the inside, with an additional security grille door
Locking system: Two double-bit high-security locks (other lock options available at additional cost)
Customer entrance door: RC2 security-rated glass door
Access control: Card reader and electric door release
ATM opening: Custom cut-out according to the ATM dimensions (ATM supplied by customer; installation carried out at our factory)
Roof: Weather-resistant trapezoidal steel sheet
Flooring: Checker plate in the ATM area; PVC flooring in the customer area
Lighting: LED lighting; exterior lighting to be provided by the customer according to project requirements

Cable entry for power and other services via floor opening in the ATM area.
Integrated pressure relief vents safely release overpressure in the event of an explosion.



FINISH

RAL colour according to customer requirements
Interior: RAL 9010 (Pure White), lightly textured wall finish



IMPORTANT NOTE

Due to the ATM opening, a VdS certification plaque cannot be attached.

SELF-SERVICE **ATM PAVILION** „MIDI“



SELF-SERVICE ATM PAVILION



SELF-SERVICE ATM PAVILION

SAFE DEPOSIT BOX SYSTEMS MECHANICAL AND ELECTRONIC LOCKING SYSTEMS



Product Description

Müller Safe safe deposit box systems combine the highest security standards with durable construction and maximum flexibility for use in banks, savings banks, and financial institutions. Depending on the application, the systems are available with either mechanical or electronic locking systems, individually tailored to the operator's security and operational requirements.



TECHNICAL FEATURES

- Müller Safe PHZ locking system with proprietary key profile
- Robust steel construction
- Modular system with various box sizes
 - Box heights: 50, 75, 100, 150, 175, 200, 250 and 300 mm
- Individual numbering of all safe deposit boxes
- High-quality stainless steel doors
- Powder-coated finish in customer-specific RAL colours (optional)
- High corrosion resistance
- Maintenance-friendly design

SAFE DEPOSIT BOX SYSTEMS MECHANICAL AND ELECTRONIC LOCKING SYSTEMS



LOCKING OPTIONS

Mechanical Locking System

Features

- Müller Safe PHZ locking system with proprietary key profile
- Dual-key system (customer key and bank key)
- Sequential locking mechanism
- Drill and tamper protection
- Precision-engineered mechanism for a long service life

Benefits

- No power supply required
- Maximum operational reliability
- Simple and intuitive operation
- Low maintenance requirements
- Cost-effective and durable solution

Security Features

- High resistance against tampering attempts
- Drill protection around the lock area
- Protected locking mechanism

Electronic Locking System

Features

- Electronic high-security lock
- Operation via PIN code, RFID card, or transponder (depending on system configuration)
- Audit trail of locking events (optional)
- Multi-level authorization management
- Authorized emergency opening function
- Integration with existing access control systems
- Network connectivity within the branch or to central management systems

Benefits

- Flexible user and access rights management
- High security standards
- Individually configurable access permissions
- Convenient operation
- Low maintenance requirements
- Expandable through software and additional system functions

- Unique box identification
- Emergency opening by authorized personnel only
- Optional event logging (electronic version)



SAFE DEPOSIT BOX SYSTEMS

SAFE DEPOSIT BOX SYSTEMS MECHANICAL AND ELECTRONIC LOCKING SYSTEMS

ADVANTAGES

Mechanical Locking System

- Proven and reliable locking technology
- Independent of power supply
- Low operating and maintenance costs
- Long service life

Electronic Locking System

- Maximum user convenience
- Flexible user and access rights management
- Complete traceability through audit logs
- Easy adaptation to organizational changes
- Future-proof system integration

Services

- Professional consulting
- Project planning
- Customized system configuration
- Installation and commissioning
- Maintenance and service
- Authorized emergency opening
- Spare parts supply
- Upgrading existing mechanical systems to electronic locking systems



SAFE DEPOSIT BOX SYSTEMS MECHANICAL AND ELECTRONIC LOCKING SYSTEMS



SECURE SAFE DEPOSIT BOX SOLUTIONS

Secure solutions for modern safe deposit box systems — individually designed, precision manufactured, and engineered to meet the highest security requirements.

Müller Safe GmbH

In der Hirtenwiese 6

35745 Herborn, Germany

www.mueller-safe.de

zentrale@mueller-safe.de

